L Number	Hits	Search Text	DB	Time stamp
1	1	6725382.pn.	USPAT; US-PGPUB; IBM_TDB	2004/08/04 12:50
2	1	5892906.pn.	USPAT; US-PGPUB; IBM_TDB	2004/08/04 12:53
3	1	5917168.pn.	USPAT; US-PGPUB; IBM_TDB	2004/08/04 13:20
4	1	5892906.pn.	USPAT; US-PGPUB; IBM_TDB	2004/08/04 13:36
5	1	6611914.pn.	USPAT; US-PGPUB; IBM_TDB	2004/08/04 15:07
6	9499	380/$.ccls.	USPAT; US-PGPUB; IBM_TDB	2004/08/04 15:07
7	66	380/$.ccls. and ((((security or authenti$7 or encrypt$4 or enciper$4))with (((protected or (irreversibly adj blocked)or secured)adj3 (part or section or area or zone)))))	USPAT; US-PGPUB; IBM_TDB	2004/08/04 15:08
8	55	(380/$.ccls. and ((((security or authenti$7 or encrypt$4 or enciper$4))with (((protected or (irreversibly adj blocked)or secured)adj3 (part or section or area or zone)))))) and (start$up or power$4 or initiali$7)	USPAT; US-PGPUB; IBM_TDB	2004/08/04 15:09

L Number	Hits	Search Text	DB	Time stamp
1	8610	((secured or protec$4)near6 (boot$4 or intiali$6 or reset or power$on or power$up))	USPAT; US-PGPUB; IBM_TDB	2004/08/04 09:24
2	34	(((secured or protec$4)near6 (boot$4 or intiali$6 or reset or power$on or power$up))) same (((secur$6 or protect$4 or encrytp$6)near3 (code or program or software))with ((protected or secured or non$errasable or otp or (write adj2 once))near3 (part or sectionor area or section or zone)))	USPAT; US-PGPUB; IBM_TDB	2004/08/04 08:35
3	33	(((secured or protec$4)near6 (boot$4 or intiali$6 or reset or power$on or power$up))) with (((secur$6 or protect$4 or encrytp$6)near3 (code or program or software))with ((protected or secured or non$errasable or otp or (write adj2 once))near3 (part or sectionor area or section or zone)))	USPAT; US-PGPUB; IBM_TDB	2004/08/04 08:31
4	1	(((secured or protec$4)near6 (boot$4 or intiali$6 or reset or power$on or power$up))) same (((secur$6 or protect$4 or encrytp$6)near3 (code or program or software))with (((((stored or saved or loaded or burned or program$4)adj3(protected or secured or non$errasable or otp or (write adj2 once))))near3 (part or section or area or section or zone)))	USPAT; US-PGPUB; IBM_TDB	2004/08/04 08:42
5	11	(((secured or protec$4)near6 (boot$4 or intiali$6 or reset or power$on or power$up))) and (((secur$6 or protect$4 or encrytp$6)near3 (code or program or software))with (((((stored or saved or loaded or burned or program$4)adj3(protected or secured or non$errasable or otp or (write adj2 once))))near3 (part or section or area or section or zone)))	USPAT; US-PGPUB; IBM_TDB	2004/08/04 08:48
6	87	((secur$6 or protect$4 or encrytp$6)near3 (code or program or software))with (((((stored or saved or loaded or burned or program$4)adj3(protected or secured or non$errasable or otp or (write adj2 once))))near3 (part or section or area or section or zone))	USPAT; US-PGPUB; IBM_TDB	2004/08/04 08:50
7	4	(((secur$6 or protect$4 or encrytp$6)near3 (code or program or software))with (((((stored or saved or loaded or burned or program$4)adj3(protected or secured or non$errasable or otp or (write adj2 once))))near3 (part or section or area or section or zone))) same (boot$4 or intiali$6 or reset or power$on or power$up)	USPAT; US-PGPUB; IBM_TDB	2004/08/04 08:57
8	2	((security or protection or encrytp$6)adj3 (code or program or software))with (((((stored or saved or loaded or burned or program$4)adj3(protected or secured or non$errasable or otp or (write adj2 once))))near3 (part or section or area or section or zone))	USPAT; US-PGPUB; IBM_TDB	2004/08/04 09:00
9	7	((security or protection or encrytp$6)adj3 (code or program or software))same (((((stored or saved or loaded or burned or program$4)adj3(protected or secured or non$errasable or otp or (write adj2 once))))near3 (part or section or area or section or zone))	USPAT; US-PGPUB; IBM_TDB	2004/08/04 09:12

10	6	((security or protection or encrytp$6)adj3 (code or program or software))same ((((stored or saved or loaded or burned or program$4)adj3(protected or secured or non$errasable or otp or (write adj2 once)))near3 (part or section or area or section or zone))	EPO; JPO; DERWENT	2004/08/04 08:57
11	1	5592641.pn.	USPAT; US-PGPUB; IBM_TDB	2004/08/04 09:03
12	0	ep0524719.pn.	USPAT; US-PGPUB; IBM_TDB	2004/08/04 09:00
13	0	524719.pn.	USPAT; US-PGPUB; IBM_TDB	2004/08/04 09:01
14	0	524719.ptpn.	USPAT; US-PGPUB; IBM_TDB	2004/08/04 09:01
15	0	gb2320855.ptpn.	USPAT; US-PGPUB; IBM_TDB	2004/08/04 09:01
16	0	gb2320855.pn.	USPAT; US-PGPUB; IBM_TDB	2004/08/04 09:01
17	0	gb2320855.apn.	USPAT; US-PGPUB; IBM_TDB	2004/08/04 09:01
18	1	2320855.pn.	USPAT; US-PGPUB; IBM_TDB	2004/08/04 09:01
19	1	5388267.pn.	USPAT; US-PGPUB; IBM_TDB	2004/08/04 09:04
20	1	5954817.pn.	USPAT; US-PGPUB; IBM_TDB	2004/08/04 09:10
21	1207	moller.inv.	USPAT; US-PGPUB; IBM_TDB	2004/08/04 09:18
23	0	moller.inv. and bootup	USPAT; US-PGPUB; IBM_TDB	2004/08/04 09:11
24	0	moller.inv. and boot$up	USPAT; US-PGPUB; IBM_TDB	2004/08/04 09:11
25	11	((security or protection or authenti$7 or encrytp$6)adj3 (code or program or software))same ((((stored or saved or loaded or burned or program$4)adj3(protected or secured or non$errasable or otp or (write adj2 once)))near3 (part or section or area or section or zone))	USPAT; US-PGPUB; IBM_TDB	2004/08/04 09:12
22	18	moller.inv. and security	USPAT; US-PGPUB; IBM_TDB	2004/08/04 09:13
27	0	(moller.inv. and (data adj processing)) and security	USPAT; US-PGPUB; IBM_TDB	2004/08/04 09:13
26	21	moller.inv. and (data adj processing)	USPAT; US-PGPUB; IBM_TDB	2004/08/04 09:18
28	17	moller.inv. and (bernd)	USPAT; US-PGPUB; IBM_TDB	2004/08/04 09:18
29	1625	moller.inv.	EPO; JPO; DERWENT	2004/08/04 09:18
30	10	moller.inv. and (data adj processing)	EPO; JPO; DERWENT	2004/08/04 09:19

32	1	(moller.inv. and (data adj processing)) and (security)	EPO; JPO; DERWENT	2004/08/04 09:19
31	7	moller.inv. and (security)	EPO; JPO; DERWENT	2004/08/04 09:21
33	20483	713/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 10:05
34	5648	713/$.ccls. and ((secur$4 or protect$4 or authenti$7 or encrypt$4)with (area or section or zone or part))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 09:25
35	400	713/$.ccls. and ((secured or protec$4)near6 (boot$4 or intiali$6 or reset or power$on or power$up))	USPAT; US-PGPUB; IBM_TDB	2004/08/04 09:24
36	8287	713/$.ccls. and ((boot$4 or intiali$6 or reset or power$on or power$up))	USPAT; US-PGPUB; IBM_TDB	2004/08/04 10:06
37	1820	(713/$.ccls. and ((boot$4 or intiali$6 or reset or power$on or power$up))) and ((secur$4 or protect$4 or authenti$7 or encrypt$4)with (area or section or zone or part))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 10:06
38	1000	((713/$.ccls. and ((boot$4 or intiali$6 or reset or power$on or power$up))) and ((secur$4 or protect$4 or authenti$7 or encrypt$4)with (area or section or zone or part))) and ((secur$4 or protect$4 or authenti$7 or encrypt$4)adj3 (code or program or software))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 10:07
39	882	((713/$.ccls. and ((boot$4 or intiali$6 or reset or power$on or power$up))) and ((secur$4 or protect$4 or authenti$7 or encrypt$4)with (area or section or zone or part))) and ((security or protection or authenti$7 or encrypt$4)adj3 (code or program or software))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 09:26
40	434	((713/$.ccls. and ((boot$4 or intiali$6 or reset or power$on or power$up))) and ((secur$4 or protect$4 or authenti$7 or encrypt$4)with (area or section or zone or part))) and (((security or protection or authenti$7 or encrypt$4)adj3 (code or program or software))same (memory or eprom or eeprom or storage))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 10:05
41	165	((713/$.ccls. and ((boot$4 or intiali$6 or reset or power$on or power$up))) and ((secur$4 or protect$4 or authenti$7 or encrypt$4)with (area or section or zone or part))) and ((((execut$4 or booting or initiali$7)with(security or protection or authenti$7 or encrypt$4)adj3 (code or program or software)))same (memory or eprom or eeprom or storage))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 09:29
42	165	(((713/$.ccls. and ((boot$4 or intiali$6 or reset or power$on or power$up))) and ((secur$4 or protect$4 or authenti$7 or encrypt$4)with (area or section or zone or part))) and (((security or protection or authenti$7 or encrypt$4)adj3 (code or program or software))same (memory or eprom or eeprom or storage))) and ((((execut$4 or booting or initiali$7)with(security or protection or authenti$7 or encrypt$4)adj3 (code or program or software)))same (memory or eprom or eeprom or storage))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 09:31

44	0	(((713/$.ccls. and ((boot$4 or intiali$6 or reset or power$on or power$up))) and ((secur$4 or protect$4 or authenti$7 or encrypt$4)with (area or section or zone or part))) and (((security or protection or authenti$7 or encrypt$4)adj3 (code or program or software))same (memory or eprom or eeprom or storage))) and ((((processor or controller or cpu)near4 (initiali$7 or boot46 or execut$4))with ((security or authenti$7)adj3 (program or code or software)))same (((protected or secured or non$errasable)near3 (area or part or section or zone))with (memory or storage)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 09:38
45	0	(((713/$.ccls. and ((boot$4 or intiali$6 or reset or power$on or power$up))) and ((secur$4 or protect$4 or authenti$7 or encrypt$4)with (area or section or zone or part))) and (((security or protection or authenti$7 or encrypt$4)adj3 (code or program or software))same (memory or eprom or eeprom or storage))) and ((((processor or controller or cpu)near4 (initiali$7 or boot46 or execut$4))same((security or authenti$7)adj3 (program or code or software)))same (((protected or secured or non$errasable)near3 (area or part or section or zone))with (memory or storage)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 09:38
43	34	(((713/$.ccls. and ((boot$4 or intiali$6 or reset or power$on or power$up))) and ((secur$4 or protect$4 or authenti$7 or encrypt$4)with (area or section or zone or part))) and (((security or protection or authenti$7 or encrypt$4)adj3 (code or program or software))same (memory or eprom or eeprom or storage))) and (((processor or controller or cpu)near4 (initiali$7 or boot46 or execut$4))with ((security or authenti$7)adj3 (program or code or software)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 10:07
46	274	713/$.ccls.	EPO; JPO; DERWENT	2004/08/04 10:05
47	1	713/$.ccls. and (((security or protection or authenti$7 or encrypt$4)adj3 (code or program or software))same (memory or eprom or eeprom or storage))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 10:08
48	8305	713/$.ccls. and ((boot$4 or intiali$6 or reset or power$on or power$up))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 10:06
49	1820	(713/$.ccls. and ((boot$4 or intiali$6 or reset or power$on or power$up))) and ((secur$4 or protect$4 or authenti$7 or encrypt$4)with (area or section or zone or part))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 10:06
50	1000	((713/$.ccls. and ((boot$4 or intiali$6 or reset or power$on or power$up))) and ((secur$4 or protect$4 or authenti$7 or encrypt$4)with (area or section or zone or part))) and ((secur$4 or protect$4 or authenti$7 or encrypt$4)adj3 (code or program or software))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 10:07

| 51 | 36 | (((713/$.ccls. and ((boot$4 or intiali$6 or reset or power$on or power$up))) and ((secur$4 or protect$4 or authenti$7 or encrypt$4)with (area or section or zone or part))) and ((secur$4 or protect$4 or authenti$7 or encrypt$4)adj3 (code or program or software))) and (((processor or controller or cpu)near4 (initiali$7 or boot46 or execut$4))with ((security or authenti$7)adj3 (program or code or software))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/04 10:07 |
| 52 | 34 | ((((713/$.ccls. and ((boot$4 or intiali$6 or reset or power$on or power$up))) and ((secur$4 or protect$4 or authenti$7 or encrypt$4)with (area or section or zone or part))) and ((secur$4 or protect$4 or authenti$7 or encrypt$4)adj3 (code or program or software))) and (((processor or controller or cpu)near4 (initiali$7 or boot46 or execut$4))with ((security or authenti$7)adj3 (program or code or software)))) and (((security or protection or authenti$7 or encrypt$4)adj3 (code or program or software))same (memory or eprom or eeprom or storage)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/04 10:09 |

WEST Search History

| Hide Items | Restore | Clear | Cancel |

DATE: Wednesday, August 04, 2004

Hide?	Set Name	Query	Hit Count
		DB=USPT,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR	
☐	L6	L5 with ((protect$4 or block$4 or (write-once) or (non-erasable) or (write-only)) near2 (memory or storage))	7
☐	L5	(stor$4 near3 security near2 (program or routine))	363
☐	L4	(execut$4 near3 security near3 (program or routine)) with ((start-up) or (boot-up) or initialization or boot$4)	17
☐	L3	(execut$4 near3 security near3 (program or routine)) same ((start-up) or (boot-up) or initialization or boot$4)	35
☐	L2	L1 same execut$4	67
☐	L1	(security near3 (program or routine)) same ((start-up) or (boot-up) or initialization or boot$4)	159

END OF SEARCH HISTORY